

FIG. 1

$\text{⊕}$	.010	(M)	B	A	(M)
------------	------	-----	---	---	-----

3 PL




FIG. 2

JEDEC SOLID STATE PRODUCT OUTLINES	TITLE:	ISSUE	DATE:	SHEET
	PLASTIC SURFACE MOUNTED HEADER FAMILY			
				TO-263

**NOTES:**

1. REFER TO APPLICABLE SYMBOL LIST.
2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M - 1982.
3. CLIPPED LEAD DIMENSIONS UNCONTROLLED IN L<sub>3</sub>.(FIG. 2)
4. TAB CONTOUR OPTIONAL WITHIN DIMENSIONS E & ZONE L<sub>2</sub>.
5. DIMENSIONS b<sub>1</sub> AND c<sub>1</sub> APPLY TO BASE METAL ONLY. DIMENSIONS b, c & M APPLIES TO PLATING THICKNESS.
6. CONTROLLING DIMENSION: INCH.
7. D<sub>1</sub> AND E<sub>1</sub> ESTABLISH A MINIMUM MOUNTING SURFACE FOR TERMINAL 4.

**VARIATIONS (ALL DIM SHOWN IN INCHES)**

	AA (FIG 1)				AB (FIG 2)			
	MIN	NOM	MAX		MIN	NOM	MAX	
A	.160	.175	.190		.160	.175	.190	
A <sub>1</sub>	.080	.095	.110		.080	.095	.110	
b	.020	----	.039	5	.020	----	.039	5
b <sub>1</sub>	.020	.030	.035	5	.020	.030	.035	5
b <sub>2</sub>	.045	.050	.055	5	.045	.050	.055	5
c	.018	----	.029	5	.018	----	.029	5
c <sub>1</sub>	.018	.022	.025		.018	.022	.025	
c <sub>2</sub>	.045	.050	.055	5	.045	.050	.055	5
D	.340	.360	.380		.340	.360	.380	
D <sub>1</sub>	----	----	----		.315	----	----	7
E	.380	.395	.405	4	.380	.395	.405	4
E <sub>1</sub>	----	----	----		.245	----	----	7
e		.100 BSC				.100 BSC		
L	.575	.600	.625		.575	.600	.625	
L <sub>1</sub>	.090	.100	.110		.090	.100	.110	
L <sub>2</sub>	----	----	.055	4	----	----	.055	4
L <sub>3</sub>	----	----	----		.050	.060	.070	3
L <sub>4</sub>		.010 BSC				.010 BSC		
M	----	----	.002	5	----	----	.002	5
R								
NOTE	1, 2, 6 (FIG 1)				1, 2, 3, 6 (FIG 2)			
REF.	10-306				10-306			
ISSUE	A				A			
JEDEC SOLID STATE PRODUCT OUTLINES		TITLE: PLASTIC SURFACE MOUNTED HEADER FAMILY		ISSUE	DATE:	TO-263		SHEET
				2/92	C			2 of 2